L Number	Hits	Search Text	DB	Time stamp
6	297	negative\$1 same voltage\$1 same (appli\$3 or	USPAT;	2004/09/20 16:21
· 1		suppl\$3) same (reset\$3) same (transist\$3	US-PGPUB;	
		or switch\$1) and (APS or pixel\$1 or	EPO; JPO;	
		camera\$1)	DERWENT;	
			IBM_TDB	
7	16	(negative\$1 same voltage\$1 same (appli\$3	USPAT;	2004/09/20 15:34
		or suppl\$3) same (reset\$3) same	US-PGPUB;	
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)) and 348/308.ccls.	DERWENT;	
	141	negative(1 pears veltage(1 came /applica	IBM_TDB USPAT;	2004/09/20 15:42
8	141	negative\$1 near5 voltage\$1 same (appli\$3 or suppl\$3) same (reset\$3) same	US-PGPUB;	2004/09/20 15.42
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)	DERWENT;	
		pixelvi of cameravi,	IBM TDB	
9	84	(negative\$1 near5 voltage\$1 same (appli\$3	USPĀT;	2004/09/20 15:47
	0.1	or suppl\$3) same (reset\$3) same	US-PGPUB;	
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)) and camera\$1	DERWENT;	
}		-	IBM_TDB	
10	8	(negative\$1 near5 voltage\$1 same (appli\$3	USPĀT;	2004/09/20 15:47
		or suppl\$3) same (reset\$3) same	US-PGPUB;	
ĺ		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)) and 250/208.1.ccls.	DERWENT;	
1			IBM_TDB	
11	65		USPAT;	2004/09/20 16:07
l		near5 (gate\$1) and (APS or pixel\$1 or	US-PGPUB;	
		camera\$1)	EPO; JPO;	
			DERWENT; IBM TDB	
12	41	negative\$1 near5 voltage\$1 near10	USPAT;	2004/09/20 16:11
12	4.7	(reset\$3) near5 (gate\$1) and (APS or	US-PGPUB;	2004,03,20 10.11
		pixel\$1 or camera\$1)	EPO; JPO;	
		P1110242	DERWENT;	
			IBM TDB	
14	2	("5191398" "5289023").PN.	USPĀT	2004/09/20 16:17
13	76		USPAT;	2004/09/20 16:20
		or transistor\$1) and (APS or pixel\$1 or	US-PGPUB;	
		MOS or CMOS) same (sensor\$1 or imag\$3 or	EPO; JPO;	
		camera\$1)	DERWENT;	
1.	71	1	IBM_TDB	2004/09/20 16:21
15	71	depress\$3 near4 (reset\$3) same (switch\$3 or transistor\$1) and (APS or pixel\$1 or	USPAT; US-PGPUB;	2004/09/20 10:21
		MOS or CMOS) same (sensor\$1 or imag\$3 or	EPO; JPO;	
		camera\$1)	DERWENT;	
		- Canolar 1	IBM TDB	
16	530	348/308.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	100	348/307.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		240 /211 1 .	IBM_TDB	2004/00/20 16:01
18	308	348/311.ccls.	USPAT; US-PGPUB;	2004/09/20 16:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
19	95	348/301.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 20 1		1	LICDAM.	2004/09/20 16:21
20	117	348/304.ccls.	USPAT;	2004/05/20 10:21
∠U	117	348/304.ccls.	US-PGPUB;	2004/05/20 10:21
∠U	117	348/304.ccls.	US-PGPUB; EPO; JPO;	2004/0,5/20 10:21
20	117	348/304.ccls.	US-PGPUB;	2004/ 0,5/20 10.21

			1	•	
21	36	348/292.ccls.		USPAT; US-PGPUB; EPO; JPO;	2004/09/20
22	161	349/294 gale		DERWENT; IBM_TDB	2004/09/20

21	36	348/292.ccls.	USPAT;	2004/09/20 16:21
		0.10, 2.52.0020.	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
22	464	348/294.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	ļ.
			IBM TDB	!
23	2322	250/208.1.ccls.	USPAT;	2004/09/20 16:22
	'		US-PGPUB;	i l
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	529	257/239.ccls.	USPAT;	2004/09/20 16:22
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
25	545	257/291.ccls.	USPAT;	2004/09/20 16:22
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
100	500	257/202 2212	IBM_TDB	2004/09/20 16:22
26	606	257/292.ccls.	USPAT;	2004/09/20 16:22
			US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
27	0	250/208.1.ccls. and depression\$1 near5	IBM_TDB USPAT;	2004/09/20 16:22
2 /	"	reset\$3	US-PGPUB;	2004/09/20 16:22
		lesetas	EPO; JPO;]
			DERWENT;]
			IBM TDB	
28	0	250/208.1.ccls. and depression\$1 same	USPAT;	2004/09/20 16:23
20		(transistor\$1) same reset\$3	US-PGPUB;	2004/05/20 10.25
		(Claibibeoly) band lebecys	EPO; JPO;	
			DERWENT;	
			IBM TDB	
29	11	depression\$1 same (transistor\$1) same	USPĀT;	2004/09/20 16:25
		reset\$3 and (APS or pixel\$1 or CMOS or MOS	US-PGPUB;	i
		or photodiode\$1) same (sensor\$1 or	EPO; JPO;	
		camera\$1)	DERWENT;	
			IBM TDB	
30	68	1 •	USPĀT;	2004/09/20 16:27
		switch\$2) same reset\$3 and (APS or pixel\$1	US-PGPUB;	
		or CMOS or MOS or photodiode\$1) same	EPO; JPO;	
		(sensor\$1 or camera\$1)	DERWENT;	
		l	IBM_TDB	
31	10	<u>F</u> =	USPAT;	2004/09/20 16:29
		pixel\$1 or CMOS or MOS or photodiode\$1)	US-PGPUB;	
		and (sensor\$1 or camera\$1) same (image\$1	EPO; JPO;	
		or picture\$1)	DERWENT;	
		dammagaian01	IBM_TDB	2004/00/20 16-00
32	14	1 • '	USPAT;	2004/09/20 16:29
		pixel\$1 or CMOS or MOS or photodiode\$1) and (sensor\$1 or camera\$1)	US-PGPUB; EPO; JPO;	
		and (sensoral of cameraal)	DERWENT;	
-			IBM TDB	
33	156	depression\$1 same (APS or pixel\$1 or CMOS	USPAT;	2004/09/20 16:29
		or MOS or photodiode\$1) and (sensor\$1 or	US-PGPUB;	
		camera\$1) and reset\$3	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
34	38	(depression\$1 same (APS or pixel\$1 or CMOS	USPAT;	2004/09/20 16:31
		or MOS or photodiode\$1) and (sensor\$1 or	US-PGPUB;	
		camera\$1) and reset\$3) and depression\$1	EPO; JPO;	
		same (type\$1)	DERWENT;	
			IBM_TDB	

<u> </u>	7.5	reset\$3 same depression\$1 adj1 (type\$1)	USPAT;	2004/09/20 16:34
35	25	reset\$3 same depression\$1 adji (type\$1)	US-PGPUB;	2004/09/20 16:34
	'	and (pixel\$ or sensor\$1 or camera\$1 or	1	
		CMOS or MOS)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	26	reset\$3 same depression\$1 adj1 (type\$1)	USPAT;	2004/09/20 16:36
		and (pixel\$ or sensor\$1 or camera\$1 or	US-PGPUB;	
	}	CMOS or MOS or photodiode\$1 or	EPO; JPO;	
	1	photosensor\$1 or photoelectric\$1)	DERWENT;	
			IBM_TDB	
37	27	reset\$3 same depression\$1 adj1 (type\$1 or	USPAT;	2004/09/20 16:42
	İ	transistor\$1) and (pixel\$ or sensor\$1 or	US-PGPUB;	
	}	camera\$1 or CMOS or MOS or photodiode\$1 or	EPO; JPO;	
		photosensor\$1 or photoelectric\$1)	DERWENT;	
	1		IBM TDB	
38	33	reset\$3 near10 depression\$1 same (MOS or	USPAT;	2004/09/20 16:52
		CMOS or transistor\$1) and (pixel\$ or	US-PGPUB;	·
		sensor\$1 or camera\$1 or CMOS or MOS or	EPO; JPO;	
		photodiode\$1 or photosensor\$1 or	DERWENT;	
		photoelectric\$1)	IBM TDB	
39	175	l •	USPAT;	2004/09/20 16:52
"	1,3	CMOS or transistor\$1) and (pixel\$ or	US-PGPUB;	=====
	1	sensor\$1 or camera\$1 or CMOS or MOS or	EPO; JPO;	
		photodiode\$1 or photosensor\$1 or	DERWENT;	
	1	photoalogest of photosensors of photoelectric\$1)	IBM TDB	
· ·		buoroerectrical/	I TOM I DO	

L Number	Hits	Search Text	DB	Time stamp
6	297	negative\$1 same voltage\$1 same (appli\$3 or suppl\$3) same (reset\$3) same (transist\$3	USPAT; US-PGPUB;	2004/09/20 16:21
		or switch\$1) and (APS or pixel\$1 or	EPO; JPO;	
		camera\$1)	DERWENT;	
			IBM_TDB	
7	16		USPĀT;	2004/09/20 15:34
		or suppl\$3) same (reset\$3) same	US-PGPUB;	
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)) and 348/308.ccls.	DERWENT; IBM TDB	
8	141	negative\$1 near5 voltage\$1 same (appli\$3	USPAT;	2004/09/20 15:42
		or suppl\$3) same (reset\$3) same	US-PGPUB;	
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)	DERWENT;	
	0.4	/	IBM_TDB	2004/00/20 15:47
9	84	(negative\$1 near5 voltage\$1 same (appli\$3 or suppl\$3) same (reset\$3) same	USPAT; US-PGPUB;	2004/09/20 15:47
		(transist\$3 or switch\$1) and (APS or	EPO; JPO;	
		pixel\$1 or camera\$1)) and camera\$1	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
10	8	(negative\$1 near5 voltage\$1 same (appli\$3	USPAT;	2004/09/20 15:47
		or suppl\$3) same (reset\$3) same	US-PGPUB;	
		(transist\$3 or switch\$1) and (APS or	EPO; JPO; DERWENT;	
		pixel\$1 or camera\$1)) and 250/208.1.ccls.	IBM TDB	
11	65	negative\$1 same voltage\$1 near10 (reset\$3)	USPAT;	2004/09/20 16:07
	• • • • • • • • • • • • • • • • • • • •	near5 (gate\$1) and (APS or pixel\$1 or	US-PGPUB;	
		camera\$1)	EPO; JPO;	
į			DERWENT;	
10	4.1		IBM_TDB	2004/00/20 16:11
12	41	, , , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	2004/09/20 16:11
		(reset\$3) near5 (gate\$1) and (APS or pixel\$1 or camera\$1)	EPO; JPO;	
		principle of camerage,	DERWENT;	
			IBM TDB	
14	2	("5191398" "5289023").PN.	USPAT	2004/09/20 16:17
13	76	depress\$3 near5 (reset\$3) same (switch\$3	USPAT;	2004/09/20 16:20
		or transistor\$1) and (APS or pixel\$1 or MOS or CMOS) same (sensor\$1 or imag\$3 or	US-PGPUB; EPO; JPO;	
		camera\$1)	DERWENT;	
		00111020421	IBM TDB	
15	71		USPĀT;	2004/09/20 16:21
		or transistor\$1) and (APS or pixel\$1 or	US-PGPUB;	
1		MOS or CMOS) same (sensor\$1 or imag\$3 or	EPO; JPO;	
1		camera\$1)	DERWENT; IBM TDB	
16	530	348/308.ccls.	USPAT;	2004/09/20 16:21
	200		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
17	100	249/207 gglg	IBM_TDB	2004/00/20 16:01
17	100	348/307.ccls.	USPAT; US-PGPUB;	2004/09/20 16:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
18	308	348/311.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO; DERWENT;]
			IBM TDB	
19	95	348/301.ccls.	USPAT;	2004/09/20 16:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
20	117	249/204 gglg	IBM_TDB	2004/09/20 16:01
20	117	348/304.ccls.	USPAT; US-PGPUB;	2004/09/20 16:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1

21	36	348/292.ccls.	USPAT; US-PGPUB;	2004/09/20 16:21
	<u>'</u>		EPO; JPO; DERWENT; IBM_TDB	
22	464	348/294.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:21
23	2322	250/208.1.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:22
24	529	257/239.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:22
25	545	257/291.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:22
26	606	257/292.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:22
27	0	250/208.1.ccls. and depression\$1 near5 reset\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:22
28	O	250/208.1.ccls. and depression\$1 same (transistor\$1) same reset\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:23
29	11	depression\$1 same (transistor\$1) same reset\$3 and (APS or pixel\$1 or CMOS or MOS or photodiode\$1) same (sensor\$1 or camera\$1)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:25
30	68	depression\$1 same (transistor\$1 or switch\$2) same reset\$3 and (APS or pixel\$1 or CMOS or MOS or photodiode\$1) same (sensor\$1 or camera\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:27
31	10	depression\$1 same reset\$3 same (APS or pixel\$1 or CMOS or MOS or photodiode\$1) and (sensor\$1 or camera\$1) same (image\$1 or picture\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:29
32	14	<pre>depression\$1 same reset\$3 same (APS or pixel\$1 or CMOS or MOS or photodiode\$1) and (sensor\$1 or camera\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:29
33	156	depression\$1 same (APS or pixel\$1 or CMOS or MOS or photodiode\$1) and (sensor\$1 or camera\$1) and reset\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:29
34	38	(depression\$1 same (APS or pixel\$1 or CMOS or MOS or photodiode\$1) and (sensor\$1 or camera\$1) and reset\$3) and depression\$1 same (type\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/20 16:31

35	25	reset\$3 same depression\$1 adj1 (type\$1) and (pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS)	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:34
			DERWENT; IBM_TDB	
36	26	and (pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 16:36
37	27	photosensor\$1 or photoelectric\$1) reset\$3 same depression\$1 adj1 (type\$1 or	DERWENT; IBM_TDB USPAT;	2004/09/20 16:42
		transistor\$1) and (pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
38	33	reset\$3 near10 depression\$1 same (MOS or CMOS or transistor\$1) and (pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 16:52
39	175	photoelectric\$1) reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1) and (pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 17:48
40	571	<pre>photodiode\$1 or photosensor\$1 or photoelectric\$1) reset\$3 same depression\$1 same (MOS or</pre>	DERWENT; IBM_TDB USPAT;	2004/09/20 18:04
		CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
41	0	<pre>(reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 17:50
42	1	348/308.ccls. (reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 17:50
43	1	250/208.1.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 17:50
44	13	or photosensor\$1 or photoelectric\$1)) and 257/239.ccls. (reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/20 17:52
45	1.5	or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and 257/\$.ccls.	EPO; JPO; DERWENT; IBM_TDB	0004/00/00 17 50
45	16	<pre>(reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 17:53
46	28	250/\$.ccls. (reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/20 17:53
47	45	or photosensor\$1 or photoelectric\$1)) and 348/\$.ccls. reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or photodiode\$1	DERWENT; IBM_TDB EPO; JPO; DERWENT; IBM_TDB	2004/09/20 18:03
48	64	or photosensor\$1 or photoelectric\$1) (reset\$3 same depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1	USPAT; US-PGPUB;	2004/09/20 17:58
		or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and (MOS or CMOS)	EPO; JPO; DERWENT; IBM TDB	

Page 3

49	1	(reset\$3 same depression\$1 same (MOS or	USPAT; US-PGPUB;	2004/09/20 17:59
		CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		(active)near1 (pixel\$1)	IBM_TDB	
50	224	(reset\$3 same depression\$1 same (MOS or	USPAT;	2004/09/20 17:59
		CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1	US-PGPUB; EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
	1	(camera)	IBM TDB	
51	137	((reset\$3 same depression\$1 same (MOS or	USPĀT;	2004/09/20 17:59
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and	EPO; JPO; DERWENT;	
		(camera)) and transistor\$1	IBM TDB	
52	36	(reset\$3 same depression\$1 same (MOS or	USPĀT;	2004/09/20 18:02
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and pixel\$1	DERWENT; IBM TDB	
53	53	reset\$3 and depression\$1 same (MOS or CMOS	EPO; JPO;	2004/09/20 18:03
		or transistor\$1 or pixel\$ or sensor\$1 or	DERWENT;	, , ,
		camera\$1 or CMOS or MOS or photodiode\$1 or	IBM_TDB	
F.4	2200	photosensor\$1 or photoelectric\$1)	USPAT;	2004/09/20 18:06
54	3322	reset\$3 and depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1 or	US-PGPUB;	2004/09/20 10:06
		camera\$1 or CMOS or MOS or photodiode\$1 or	EPO; JPO;	
		photosensor\$1 or photoelectric\$1)	DERWENT;	
	_		IBM_TDB	
55	2	(reset\$3 and depression\$1 same (MOS or CMOS or transistor\$1 or pixel\$ or sensor\$1	USPAT; US-PGPUB;	2004/09/20 18:05
•		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	ĺ
		348/308.ccls.	IBM_TDB	
56	0	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:05
		CMOS or transistor\$1 or pixel\$ or sensor\$1 or camera\$1 or CMOS or MOS or photodiode\$1	US-PGPUB; EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
	1	348/307.ccls.	IBM_TDB	!
57	2	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:08
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB; EPO; JPO;	
		or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		348/311.ccls.	IBM TDB	
58	61	reset\$3 same depression\$1 same (MOS or	USPĀT;	2004/09/20 18:08
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1) and	EPO; JPO; DERWENT;	
		(solid\$1 adi1 state\$1)	IBM TDB	
60	1	(reset\$3 and depression\$1 same (MOS or	USPĀT;	2004/09/20 18:10
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO; DERWENT;	
		or photosensor\$1 or photoelectric\$1)) and 348/301.ccls.	IBM TDB	
59	28	reset\$3 and depression\$1 near5	USPAT;	2004/09/20 18:09
		(transistor\$1) same (MOS or CMOS or	US-PGPUB;	
		transistor\$1 or pixel\$ or sensor\$1 or	EPO; JPO;	
		camera\$1 or CMOS or MOS or photodiode\$1 or photosensor\$1 or photoelectric\$1) and	DERWENT; IBM TDB	
		(solid\$1 adj1 state\$1)	155-155	
61	1	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:15
	1	CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
	1	or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and 348/304.ccls.	DERWENT; IBM TDB	
62	0	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:11
1	1	CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
	1	or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
	1	or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
L	J	348/292.ccls.	IBM TDB	

63	1	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:11
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		348/294.ccls.	IBM_TDB	
64	6	((((((USPAT;	2004/09/20 18:13
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		250/208.1.ccls.	IBM TDB	
65	2	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:13
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		257/239.ccls.	IBM TDB	
66	0	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:15
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		348/292.ccls.	IBM TDB	
67	5	(reset\$3 and depression\$1 same (MOS or	USPAT;	2004/09/20 18:15
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		257/291.ccls.	IBM TDB	
68	2	(reset\$3 and depression\$1 same (MOS or	USPĀT;	2004/09/20 18:15
		CMOS or transistor\$1 or pixel\$ or sensor\$1	US-PGPUB;	
,		or camera\$1 or CMOS or MOS or photodiode\$1	EPO; JPO;	
		or photosensor\$1 or photoelectric\$1)) and	DERWENT;	
		257/292.ccls.	IBM TDB	